



www.FrontierCorp.com

RECEIVED

2004 DEC -2 PM 12:18


T.R.A. DOCKET ROOM

300 Bland Street
P.O. Box 770
Bluefield, WV 24701

November 29, 2004

Chairman Pat Miller
Tennessee Regulatory Authority
460 James Robertson Parkway
Nashville, TN 37243-0505

Dear Chairman Miller



RE: Interconnection Amendment – CTC-TN & Level 3

Enclosed for TRA approval are an original and 14 copies of Amendment One to the Local Interconnection Agreement between Citizens Telecommunications Company of Tennessee, LLC, d/b/a Frontier Communications of Tennessee and Level 3 Communications, LLC. The original agreement was approved in Docket # 02-01340. This amendment provides for Local Number Portability.

A check for fifty dollars (\$50.00) to cover the filing fee is enclosed.

Please stamp as received the additional copy and return it in the enclosed envelope.

If you have any questions, please call me at 304-325-1216.

Sincerely,

J. Michael Swatts
State Government Affairs Director

Enclosure

ATTACHMENT 7

LOCAL NUMBER PORTABILITY

ATTACHMENT 7 – Local Number Portability

SECTION 1. Local Number Portability (LNP)

1.1 General

Frontier/Citizens will convert to LNP at its discretion, or after a Bona Fide Request is received from the Carrier. When a Bona Fide Request is received, Frontier/Citizens will provide portability in the requested central office in accordance with the processes set forth in 47 U.S.C. § 153 (30) and in the FCC's orders in CC Docket No. 95-116 and other orders addressing carrier LNP obligations. The technology that meets the FCC's performance criteria is Location Routing Number (LRN). LRN is currently being used by the telecommunications industry to provide LNP.

1.2 Terms and Conditions

Frontier/Citizens will only provide LNP as required by the Act and FCC rules and orders, and where applicable, state rules and orders governing LNP and the transition of services between local carriers. LNP shall apply only to the porting of telephone numbers with respect to a customer who has an active account (i.e., the customer has not been disconnected) and wishes to retain its telephone number while changing local carriers. Porting of customer telephone numbers will only be permitted within each specific customer's Frontier/Citizens rate center.

When LNP becomes available in the Frontier/Citizens switch, ISPNP will cease to be available and all existing ISPNP arrangements will terminate.

1.3 Obligations of Frontier/Citizens

Citizen will deploy LNP in the specified central offices at its discretion, or in accordance with the process set forth in 47 U.S.C. § 153 (30) and in the FCC's orders in CC Docket No. 95-116 and other orders addressing carrier LNP obligations. (See Exhibit A and B).

Frontier/Citizens will participate in LNP testing in accordance with North American Numbering Council (NANC) standards.

Frontier/Citizens will follow recommended National Emergency Number Association (NENA) standards for LNP until or as such time the standards are superseded by federal, state, or local legislation.

1.4 Obligations of Carrier

If Carrier requests LNP, Carrier is required to send to Frontier/Citizens a completed Bona Fide Request Form for LNP deployment.

Carrier is responsible to coordinate with the local E911 and Public Services Answering Point (PSAP) coordinators to insure a seamless transfer of end user emergency services.

Carrier is required to meet all mutually agreed upon testing dates and implementation schedules. Both Parties will perform testing as specified in industry guidelines and cooperate in conducting any additional testing to ensure interoperability between networks and systems. Each party shall inform the other Party of any system updates that may affect the other Party's network and each Party shall, at the other Party's request, perform tests to validate the operation of the network.

Carrier is responsible to meet all Number Portability Administration Center (NPAC) and North American Numbering Council (NANC) requirements and in providing its own access to regional NPAC.

Carrier is responsible for providing its own access to the Service Order Administration (SOA).

EXHIBIT A

**LOCAL NUMBER PORTABILITY (LNP)
BONA FIDE REQUEST (BFR)**

DATE _____ (date of request)

TO _____ (name of service provider)
_____ (address of service provider)
_____ (contact name /number)

FROM _____ (requester/service provider name/ID)
_____ (requester/operating company number (OCN))
_____ (requester switch(es)/CLLI)
_____ (authorized by name)
_____ (authorized by title)
_____ (contact name/address/number)

Affidavit attesting requester as authorized agent should accompany request

SWITCH(ES)

CLLI ¹	Rate Center Name ²	Rate Center VC/HC ²	NPA-NXX(s) ³
_____	_____	_____	All Y or N
_____	_____	_____	All Y or N
_____	_____	_____	All Y or N
_____	_____	_____	All Y or N
_____	_____	_____	All Y or N

Please provide Requestor's information below

CARRIER/REQUESTOR CLLI ¹	Rate Center Name ²	Rate Center VC/HC ²	NPA-NXX(s) ³
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

DATES Requested date switch(es) should be LNP capable _____ (mm/dd/yy)
Requested code opening date _____ (mm/dd/yy)

Notes See following page

Acknowledgment of BFR is to be sent to the requester within ten business days

EXHIBIT A

**LOCAL NUMBER PORTABILITY (LNP)
BONA FIDE REQUEST (BFR)
(Continued)**

Notes: ¹ List each switch targeted for LNP by its specific CLLI code

² Enter associated Rate Center information from LERG, including. Rate Center Name and
Associated V&H Terminating Point Master Coordinates,
Source of the LERG information Destination Code Record (DRD) Screen

³ Circle or highlight Y if requesting all eligible NPA-NXX codes in that specific switch to be
opened Circle or highlight N if only certain NPA NXX codes are being requested Then provide
list of desired NPA NXX(s)

Note. Targeting of specific NPA-NXX codes should be carefully considered. A
traditional ILEC may serve a single rate center with multiple switches (CLLIs and NXX
codes) while CARRIER may serve multiple rate centers with a single switch In the latter
case, use of a specific NXX code will determine the rate center

EXHIBIT B

**Acknowledgment of
LNP Bona Fide Request (BFR)**

DATE: _____ **(date of response)**

TO: _____ **(requester/CARRIER name/ID)**
_____ **(contact name/address/number)**
_____ **requester switch(es)/CLLI)**

FROM: _____ **(name of service provider)**
_____ **(address of provider)**
_____ **(contact name/number)**

Switch request(s) accepted:

CLLI Accepted	LNP Effective Date	or	Modified Effective Date	Ineligible NPA-NXXs
_____ (CLLI 1)	_____		_____	_____
_____ (CLLI 2)	_____		_____	_____
_____ (CLLI 3)	_____		_____	_____
_____ (CLLI 4)	_____		_____	_____

Switch request(s) denied/reason for denial:

_____ (CLLI 1) _____

_____ (CLLI 2) _____

_____ (CLLI 3) _____


Authorized company representative signature/title: _____

Carrier is responsible to meet all the Industry requirements for LNP, including but not limited to allowing porting of Carrier's numbers, within the time frames for LNP implementation set forth in 47 U S C § 153 (30) and in the FCC's orders in CC Docket No. 95-116 and other orders addressing carrier LNP obligations

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed as of this 6th day of October 2004

Level 3 Communications, LLC

Citizens Telecommunication Company of Tennessee
L L C


Authorized Signature


Authorized Signature

Lacharles P. Keese II
Name Printed/Typed

Kim Czak
Name Printed/Typed

VP- Wholesale Voice Services
Title

Director Carrier Svc
Title

10/6/2004
Date

10/15/04
Date